
## Flight Plan Monitoring using Agent-Based Technology

2nd I-CNS Conference and Workshop May 1, 2002

> Dr. John Budenske Senior Research Scientist

Architecture Technology Corporation Eden Prairie, Minnesota (952) 829-5864



# Civil Aviation Flight Path Monitoring and Anomaly Detection (CAFMAD)

**Problem Statement**: Monitoring aircraft and airports for conformance to prearranged flight path and expected behavior

- Lightweight, scalable, flexible approach
- Identify anomalies that can lead to problems
- Responsive/reactive, yet directed/controllable
- Report specific and relevant information to operator
- High detection and low false alarm rates



#### What, Why, and How...

- CAFMAD: identify, collect, match, and update data:
  - Verify the expected results of aircraft schedules, flight paths, and other airport activities
  - Determine information "relevant" to verification
  - Uses "agents" as intermediaries to external data sources
- CAFMAD assigns agents (independent processes) to check "actual status" data:
  - build a cross-reference of semantic descriptions for the relevant data and information (an ontology)
  - intelligent processes operate over the ontology.

#### **CAFMAD** Information Validation Concept


National Airspace System
 Applications produce schedules
 and activity expectations

 CAFMAD uses schedules, etc. to identify expectations upon the real world and the information relevant to verifying the expectations

 Relevant information is collected as needed and compared to expectations

 Specific anomalies and dangerous situations can also be searched for

SW agents collect and continuously compare data to expectations





#### CAFMAD Approach

- Tracking flight path for non-allowable variances
- Allows dynamic rearrangement of flight paths
- Timely response to deviations
- Monitor for other airspace anomaly activities
  - e.g., reported airport security breaches
- Identify anomalies
  - Single significant event that signals a problem
  - Collections of individually-insignificant events that together constitute a problem
  - Deviations from expected data or outcomes


#### CAFMAD Components

- Lightweight Agent Architecture
- Verification Engine
- Ontology, Knowledge Base and Database

#### Expectation Verification Checking

- Items (I) are collected or given to CAFMAD's agents (e.g., an aircraft's schedule and flight path)
- Items are mapped to known real world entities (E) in the knowledge base (e.g.,embarkation airport is MSP)
- Relationships exist between entities and concepts (C) (e.g., MSP is a hub airport for NWA)
- V-Checks (V) are used to define verification processes between concepts (e.g., aircraft must remain on flight path within tolerances unless ....)
- Mapped associations are used to apply V-Checks between the schedule items and collected data items (ETMS states flight is at location outside tolerances)
- Inconsistencies are flagged
- Operator can control V-Check operation (when, how often, etc.)





### Summary

- Independent "expectation verification" system applicable to any dynamic execution or information process
- Improves schedule monitoring efficiency
  - Provides more up-to-date status of the schedule
  - Allows a more responsive and dynamic scheduling capability
  - Requires less time to collate information
  - Frees up operator's time to concentrate on problem solving
- Independent verification of schedules in near real-time, across entire schedule
  - Operator will define when and how often to perform checking
- Provides critical support for accessing multiple, dynamic, external, on-line data source environment
- Displays to the operator "drill-down" details of the discovered mission schedule inconsistencies and invalid assumptions